A JOURNAL OF HIGHWAY RESEARCH

FEDERAL WORKS AGENCY
PUBLIC ROADS ADMINISTRATION

INDEX TO VOLUME 20

MARCH 1939-FEBRUARY 1940

CONTENTS OF VOLUME 20

| MARCH 1939: | Page | SEPTEMBER 1939: | Page |
|---|-----------|---|------|
| A STUDY OF SAND-CLAY-GRAVEL MATERIALS FOR BASE-COURSE CONSTRUCTION | | ESSENTIAL FEATURES OF TRIAXIAL SHEAR TESTS | 133 |
| SIMPLIFIED COMPUTATION OF HYDROMETER TEST DATA FOR SOIL | | Safety-Promotion Activities of the State Highway Commission of Wisconsin | |
| APRIL 1939: | | OCTOBER 1939: | |
| Experimental Bituminous-Treated Sur- faces on Sand-Clay and Marl Bases | 21 | DESIGN OF A FILL SUPPORTED BY CLAY UNDERLAID BY ROCK | |
| MAY 1939: | | SIGNIFICANT TRENDS IN MOTOR-VEHICLE | 109 |
| PRELIMINARY RESULTS OF ROAD-USE STUDIES | | REGISTRATIONS AND RECEIPTS | 103 |
| A New Vibratory Machine for Deter- mining the Compactibility of Aggre- | | NOVEMBER 1939: | |
| GATES | 55 | STUDIES OF WATER-RETENTIVE CHEMICALS AS ADMIXTURES WITH NONPLASTIC ROAD- | |
| JUNE 1939: | | BUILDING MATERIALS | |
| TOLL ROADS AND FREE ROADS TESTS OF CONCRETE CURING MATERIALS | 65 67 | DECEMBER 1939: | |
| Motor-Fuel Consumption, 1938 | 76 | Marking and Signing No-Passing Zones | |
| STATE MOTOR-FUEL TAX RECEIPTS, 1938 | 77 | ON TWO- AND THREE-LANE ROADS | 189 |
| STATE MOTOR-VEHICLE REGISTRATIONS, 1938 | | A SIMPLE ACCUMULATING-TYPE TRAFFIC | |
| STATE MOTOR-VEHICLE RECEIPTS, 1938 STATE MOTOR-CARRIER TAX RECEIPTS, 1938_ | | ACCELERATED SETTLEMENT OF EMBANKMENTS | |
| JULY 1939: | | BY BLASTING | 197 |
| Application of the Results of Research | | JANUARY 1940: | |
| TO THE STRUCTURAL DESIGN OF CONCRETE PAVEMENTS (PART 1) | | EXPERIMENTS WITH CONTINUOUS REINFORCE- | |
| AUGUST 1939: | | THE COST OF CURING CONCRETE PAVEMENTS | |
| Application of the Results of Research | | WITH COTTON MATS COST OF OPERATING RURAL MAIL-CARRIER | |
| TO THE STRUCTURAL DESIGN OF CONCRETE PAVEMENTS (PART 2) | 107 | Motor Vehicles | |
| Disposition of State Motor-Fuel Tax Receipts, 1938 | | FEBRUARY 1940: | |
| DISPOSITION OF STATE MOTOR-VEHICLE RECEIPTS, 1938 | 128 | PROGRESS IN STUDY OF MOTOR-VEHICLE PASS- ING PRACTICES | 221 |
| Disposition of State Motor-Carrier Tax Receipts, 1938 | 129 | Sample of Data Obtained in Study of Motor-Vehicle Passing Practices in | |
| Disposition of Receipts From State Imposts on Highway Users, 1938 | | Illinois Stresses Under a Loaded Circular Area_ | |
| | torn torn | | |

LIST OF AUTHORS

BARBER, EDWARD S.
BARKER, F. N.
BARNETT, JOSEPH
BECKHAM, W. K.
BENHAM, SANFORD W.
CARPENTER, C. A.
CRITZ, PAUL F.
GOODE, J. F.
HOGENTOGLER, C. A.
JACKSON, F. H.
KELLERMANN, W. F.

KELLEY, E. F.
MARR, ROBERT A., JR.
NORMANN, O. K.
PADDOCK, ROBERT H.
PALMER, L. A.
PARSONS, A. W.
PAULS, J. T.
RODGERS, ROE P.
STEUBER, WILLIAM F.
SUTHERLAND, EARL C.
WILLIS, E. A. WILLIS, E. A.

ABBREVIATIONS

 $\begin{array}{l} a. --article(s) \text{, report}(s) \\ fn. --footnote \end{array}$ r.—reference(s), referred to r. to p.—reference(s) to publication(s) Absorption, v by loess s

by norta see also M Access to his cost of, M preventio see also P Admixtures: calcium o

water-rete Aggregates: aggregate

specif use o bitumino capac comp

compacti concrete a chara cr tl inter

types

type

study Air contents Air curing of Air jets, use Air supply sy

American Ass Angles (steel) "Arlington to Asphalt joint Asphalts, asp

Axial symme in comp triaxial sh Axle loads ar

Bar reinforce Barber, Edw

a_____ r.to p___ Barker, F. N Barnett, Jose a____ r. to p___ Base courses: concrete

241632-

INDEX TO PUBLIC ROADS, VOLUME 20

| Absorption, water: | Base courses—Continued Page materials for— | Page Blading operations in base course construction 2, |
|---|--|--|
| by cotton mats used in curing concrete pave- ments 216 | blends of 59-61 characteristics of various materials, soil | 21, 26, 27, 32, 38 |
| by loess subgrade soils as cause of cracking | constants 1, 17, 21, 39, 43, 58, 174 crusher-run materials, chemically treated 173, 181–187 graded soils, grading of materials 1-12, 16, 17, 38-43, 57-61, 173–187 marl, limerock 21, 22, 24, 26–32, 36, 38, 39, 42, 43 mixtures of crushers of constants. | Blasting: accelerated settlement of embankments |
| of concrete slabs118 by mortar specimens variously cured_ 69, 70, 73, 74 | treated 173, 181-187 | by197-202 swamp mat and underfill blasting and |
| see also Moisture content. Access to highways, control on proposed toll | graded soils, grading of materials 1-12, | COSIS OF 197-202 |
| rood system 65 | marl, limerock 21, 22, 24, 26–32, 36, 38, 39, 42, 43 | Blends of aggregates: blending curves for crushed gravel, sand, |
| Accidents, highway: cost of, Wisconsin data prevention of, Wisconsin programs for 152 154-152 | | and pulverized soil 59 determination of best combination for base |
| prevention of, Wisconsin programs for 145-152 | nonplastic materials— | course or surface construction 59-61 |
| see also Passings on highways, vehicle. Admixtures: | serviceability1-7, 9-12, 16, 17, 185-187 treatment with water-retentive | "Blow-ups" in concrete pavements 112, 120, 205 Bond: |
| calcium chloride admixture as concrete cur- | chemical admixtures 173-187 | between adjacent slabs in concrete pave- |
| ing agent 67-69, 71, 72, 74, 75 water-retentive chemicals, use with non- | 30–39, 42, 43, 57, 58, 173 (fn) | between adjacent slabs in concrete pave- ments, prevention by use of joint fillers120, 122 |
| plastic materials 173–187 Aggregates: | chemical admixtures 173-187 sand-clay 1, 3, 6, 9, 11, 12, 16, 21, 22, 25, 26, 20 sand-clay-gravel 30-39, 42, 43, 57, 58, 173 (in) sand-clay-gravel 16, 17, 57-60, 173 (in), 187 | between concrete and— dowels and prevention of at joints in |
| aggregate-type surfacing materials, coarse- | specifications for— specifications for— coarse-graded base course materials 185–187 sand-clay-gravel | concrete payements 120, 121, 210 |
| graded— specifications 183, 184 use of water-retentive chemicals as ad- | sand-clay-gravel 11, 16, 17 | steel reinforcement of concrete pave- ments— |
| mixtures in 173-187 | | breaking at joints 209, 210, 219 relation to cracking of slab 119, 205, 206, 209, 210 |
| bituminous aggregates— | bituminous surfaces1-12, | 205, 206, 209, 210 |
| mination 58, 61 compaction tests 55-61 types, quantities, gradings, mixing and spreading methods used in experi- mental bituminous-treated sur- | bituminous surfaces. 1–12, 16,17, 29–39, 42, 43, 185–187 Basin-shaped surfaces under loaded circular areas, points of greatest shearing | steel tie bars at joints, breaking of 122 in road surfaces and bases, see Binders, |
| types, quantities, gradings, mixing and | areas, points of greatest shearing stresses on. 232, 236, 237 Bates Road tests, r., r, to p. 87, 104, 107 | binding materials. Bond stress, allowable unit bond stress in steel |
| spreading methods used in experi- | Bates Road tests, r., r. to p 87, 104, 107 Bearing areas: | tie bars in joints in concrete |
| faces on sand-clay and marl bases_21-42 vibrator-compacted aggregates, density | circular bearing areas— | Bonded-steel reinforcement of concrete pave- |
| tests | loaded circular areas, stresses under 231–237 of loads on pavements 87, 89, 90, 94–96 | ments, experiments 205-214, 218, 219 |
| compactibility, determination by vibratory machine (new) 55-61 | Shapes of, under tires 87, 89, 90, 94-96, 232 Bearing power of soils see Bearing areas—Sun- | use119-122, 124, 125 |
| concrete aggregates— character as influencing— | loaded circular areas, stresses under 231–237 of loads on pavements 87, 89, 90, 94–96 shapes of, under tires 87, 89, 90, 94–96, 232 Bearing power of soils, see Bearing areas—Supporting power of soils. Beckham, W. K., joint author, a 21–43 Bellows type of stabilometer 141, 143 Belt-line routes in highway improvement plan. 65, 66 Bending stresses in concrete slabs, development 96, 205, 206 | Bonds (highway) and notes, allocations for service of, from various State tax receipts, 1938 127-130 Borrow materials, use in reconstruction of embass baseliness to the service of the s |
| cracking, pavement 118 thermal coefficient of expansion and | Bellows type of stabilometer141, 143 | Borrow materials, use in reconstruction of em- |
| thermal coefficient of expansion and contraction of concrete | Belt-line routes in highway improvement plan 65, 66 Bending stresses in concrete slabs, development 96 | pankments through swamp areas, 195, |
| interlock as affecting shearing stresses in steel reinforcement at weak- | Borham Sanford W. joint outher a 205, 210 | Boussinesq formulas, r |
| ened-plane joints | Benham, Sanford W., joint author, a_ 205–214, 218, 219 Benkelman, A. C., r., r. to p 231, 232, 237 | Boussinesq formulas, r |
| type used in mortar specimens in investi- gation of concrete curing methods. 69 types, quantities, and gradings used in | Bibliographies relating to: | r. to p 85, 89, 90, 96-98, 103, 115 (fn), 126 Broke testing longs on highways (Wisconsin) 140, 152 |
| types, quantities, and gradings used in | earth problems, soil mechanics 153-154 | Bridge floor design, r. to p 230 |
| experimental reinforced concrete pavement (Indiana) 210, 211 for use in base courses— | earth problems, soil mechanics. 153-154 highway safety (r., Wisconsin). 148 Bicyclists, instruction in safe practices (Wisconsin). 147, 152 Billet steel, use as reinforcement in experimental | Bridge floor design, r. to p230 Brooming in construction of experimental bituminous-treated surfaces |
| possible segregation of fine aggregates in sand-clay-gravel base course ma- | Billet steel, use as reinforcement in experimental | Buchanan, James A. (J. A.), joint author, r., r to p |
| sand-clay-gravel base course ma- terials, relation to plasticity index | concrete pavements 205-214, 218, 219 Binders, binding materials: | Buisman, see Keverling-Buisman, A. S. |
| requirements 17 study of sand-clay-gravel materials 1-12, 16, 17 | bituminous binders, types used in mixed mats on experimental sand-clay | 139, 140, 142 |
| Air contents of circular track test sections of bituminous treated sand-clay-gravel | and mart bases21-38 moisture films as binders of nonplastic aggre- | Burlap as concrete curing agent 67-75, 213 Burmister, D. M 142, 143, 153 |
| tuminous treated sand-clay-gravel bases after traffic tests10, 11 Air curing of mortar specimens in investigation | moisture films as binders of nonplastic aggregates 173 | Busses, motor: publicly owned busses in United States, |
| Air curing of mortar specimens in investigation of concrete curing materials 68-74 | gates | 1938 167 |
| of concrete curing materials 68-74 Air jets, use in blasting operations in fill construction over swamps | plastic binders, clays1-12, | registration fees, receipts from (1938) |
| Air supply systems in stabilometer assemblies_ 134-137, | Biot, M. A., r., r. to p | tire equipment and impact factors for opera- |
| American Association of State Highway Officials, | retentive chemical admixtures. 173-187 plastic binders, clays | tion on concrete pavements |
| criteria for highway marking 189–194, 202 Angles (steel), use in joints of experimental rein- | Bituminous materials: | Byerly, W. E., r. to p |
| forced concrete pavement 211, 212 "Arlington tests" of concrete pavements 87-104, | hot-application materials, warmed mate- | Bypass roads 62, 65, 66 |
| 107-126, 206, 207 | as concrete curing agents. 67-75 hot-application materials, warmed materials. 2, 21, 31, 58, 174 liquid materials. 21-43, 67-75 types, quantities, and application methods | |
| Asphalt joint filler, use in experimental reinforced concrete pavement 210 | | Calcium chloride: as admixture in nonplastic road materials. 173–177, 179, 184–186 as concrete curing agent. 67-75 surface application to nonplastic road materials. 173–175, 181–186 Calculating board for computation of soil grain sizes. 16 |
| concrete payement 210 Asphalts, asphaltic materials, see names of asphaltic materials, also Bituminous | construction of experimental surfaces on | as concrete curing agent 67-75 |
| materials. Axial symmetry, problems of: | sand-clay and marl bases, comparative value of various types 21-37, | materials 173-175, 181-186 |
| in computation of stresses under loaded | surface treatment of experimental bases 2, | sizes16 |
| circular areas 231–237 triaxial shear tests, a 133–144, 153, 154 Axle loads and axle spacings, relation to critical | 21–37, 39, 42, 43, 174 Bituminous surface treatment: | Sizes 16 Capillary moisture in soils 1, 4, 14, 16, 198 Caravan taxes, motor-carrier tax receipts from, |
| load Stresses in concrete Dave- | as affecting stability of mixtures of granular | Caravan taxes, motor-carrier tax receipts from, |
| ments | aggregate and clay binder 173, 175 of nonplastic materials treated with water- | 1938 80 Carothers, S. D., r., r. to p 157, 162, 231–237 |
| B | retentive chemicals 173–187 of sand-clay and marl base course mate- | Carpenter, C. A., joint author: 1-12, 16, 17, 173-187 |
| Bar reinforcement of concrete pavements, bar | rials 21-37, 39, 42, 43 of sand-clay-gravel base course materials 1-12, 16, 17 | A |
| mat reinforcement, use125,125, | Bituminous surfaces: | Catudal, A. L. 126 Cell apparatus for testing undersoils (Hol- |
| Barber, Edward S. (E. S.), author and joint | Bituminous surfaces: cost data for experimental surfaces 22, 23, 27–38, 42, 43 | land) 138-140 |
| Barber, Edward S. (E. S.), author and joint author: a. 13-16,133-144,153,154 r. to p. 157 (fn), 161 (fn), 162 (fn) Barker, F. N., a 228-230 Barnett, Joseph: | design and constituction— | Cement: as admixture in micaceous soils, densities |
| r. to p 157 (fn), 161 (fn), 162 (fn) Barker, F. N., a | comparative value of mixed-in-place, penetration, and surface treatment | of compacted mixtures 58 quantity used in mix for experimental rein- |
| Barnett, Joseph: | methods South Carolina avnori | forced concrete pavement 210 Cementing values: |
| r. to p | ments | of materials used in base courses— |
| Base courses: concrete base courses, thickened-edge design | tests of mixtures— circular track tests———— 1–12, 16, 17, 173–187 | erusher-run limestone and slag 187 limestones or marls 26, 39 |
| 0f | r. to p 153 | see also Binders, binding materials. |

241632-40

se courses—
one and slag_______187
s______26,39
ng materials. 1

| Page Centerline marking of highways | Compaction, c |
|---|---|
| Certificate or permit fees, motor-carrier tax receipts from (1938). Certificates of title (motor vehicle); receipts from 1938 | consoli |
| Certificates of title (motor vehicle), receipts from, 1938 | settlen |
| in and for surface application to | of samples |
| | of soils— to incr |
| imental bituminous surfaces | Compaction to |
| comps, some cover materias, quantotes and sizes used in construction of experimental bituminous surfaces | Compactors, v new mach types used |
| Circular contact areas: assumption in calculations of relation between contact areas of rubber tires | Compressed a |
| tween contact areas of ruloter tires and wheel loads on pavements, equivalent circular areas | Compressible |
| equivalent circular areas. 94-96, 232, 236, 237 loaded circular areas, stresses under, a 231-237 of loads on pavements (interior loads, corner loads) and stresses produced. 87-90, 94-96 | Compression: direct com as cau |
| Circular test track: | compa |
| aggregate samples from, densities compared with densities of aggregates compared in laboratory 57, 58 description and r. to p 173 | in extreme |
| Circular track tests: of nonplastic granular materials treated | see also |
| with water-retentive chemicals. 173–187 of sand-clay-gravel base course materials 1-12, 16, 17 | Compression |
| | Compressive s |
| "Our Cities," report, r. 65 residents of, motor-vehicle ownership and travel by. 46-49, 53, 54, 62, 63 traffic in and near— | as cau relatio |
| congestion of, relief by highway im- | core tests |
| provements 62, 65, 66, 75 origins and destinations of (general) 66 see also Streets, city 6 | data for— averag |
| Clays and clayey soils: as binders in soil mixtures, sand-clay, sand- | crushe gravel relation to |
| clay-gravel 1-12, 16, 17, 21-43, 57-60, 173, 187 | Compressive s |
| clay layers under foundations, stresses (vertical) at boundaries of, computation | Concrete: age, relati |
| clay strata underlaid by rock, design of fill supported by 157–162 | strength— ultima |
| clay subgrades— subgrade consolidated in laboratory, | see als |
| subgrade modulus value 93 under flexible pavements, supporting power, relation to thickness of | Concrete pave |
| in swamps, stabilization of fills over, by | design— cross s r. to p |
| | struct |
| Clearances of motor vehicles during passings on highways 229, 230, 237 Cohesion in soils 137, 139, 143, 144, 153, 157, 162, 198 | thicke |
| 137-139, 143, 144, 153, 157-162, 198 Colloid contents of subgrade and base course materials used in experimental bi- | see als |
| tuminous-treated surfaces (South | data |
| Carolina). 21 Color blindness in motor-vehicle drivers, test data | relation |
| Coloring of cotton mats used for curing concrete payements, relation to insulating | increa |
| Columbia Pike experimental pavement, Aring- | practi relation |
| condition data | st |
| | |
| of aggregate-type surfacing materials, data from studies of water-retentive chemicals173, 174, 181–187 | moisture movemen |
| of aggregates— | horizo |
| data for blended aggregates 58-61 densities obtained by various methods of compaction 57, 58 limits as determined by vibratory ma- chine relation to field densities of | n |
| chine, relation to field densities of aggregates | of rei |
| rates of consolidation of various types of | betwee |
| of soils (various) 1-12, 16, 17, 21-43, 57, 58, 173-187 Compaction, consolidation: | daily |
| of base course and surfacing materials during | in re |
| construction, relation to service behavior. ———————————————————————————————————— | thickness relati |
| of concrete payements, vibration method 210. | S |
| of experimental bituminous-treated surfaces, | s requi |
| methods used1, 2, 21, 26, 29, 31–38, 173, 174 | volume c |
| of foundations— accelerated settlement of embankments by blasting———————————————————————————————————— | warping |
| consolidation of clay strata underlaid by | width— data |
| 161, 162 | J |

| a u u u u u u u u u u u u u u u u u u u | Page | 1 , |
|--|--------------------------|--|
| Compaction, consolidation—Continued. of foundations—Continued. | | , |
| consolidation pressures and their relation to failure of undersoils of emban | k- | |
| ments133-144 | , 153, 154 | (|
| of samples (soils, plastic materials, etc.) | in 231 | |
| Stabilometer tests 155 | -144, 100 | |
| of soils— to increase rigidity of fills triaxial shear test data. 133–144 Compaction tests, consolidation tests, of marials | 153 154 | |
| Compaction tests, consolidation tests, of mai | te- 185 108 | |
| Compactors, vibratory: | , 100, 100 | |
| types used in construction of experiment | tal | |
| reinforced concrete pavement Compressed air systems in stabilometer asset | 212, 213 m- | |
| blies134-137 Compressible fillers, use in joints of concre | , 139–144 ete | |
| pavementsCompression: | 120-122 | |
| direct compression— | es. | |
| as cause of concrete pavement failur comparison with column action compaction of aggregates by, compa | ri- 113 | |
| son with compaction by oth | 1er 55 57 58 | |
| in avtrome fibers of flavure specimens (co | m- | |
| crete, mortar) incompletely sar | 73 | |
| see also Compaction—Compaction tests Compression devices. | | |
| Compression devices. Compression devices used in triaxial shear tes | 4, 153, 154 | |
| Compressive strength of concrete: compressive failures in concrete pavements as caused by column action | S— 112 113 | |
| relation to— | 113 | |
| age of concrete | 113 | |
| core tests of concrete cured by cotton mat- data for— | | |
| data for— average paving concrete crushed stone concrete, Ohio Post Ros gravel concrete, Ohio Post Rod relation to modulus of elasticity Compressing strasses in congrete pavements. | d 118 | |
| relation to modulus of elasticity | 118 | |
| Compressive stresses in concrete pavements 99, 112-114, 120 | 0, 122, 205 | |
| Concrete: age, relation to strength10 | 8, 109, 113 | |
| strength— ultimate strength, relation to factors | of | |
| strength— ultimate strength, relation to factors safety in pavement design. 86,8" | 7, 108, 126 | 1 |
| see also Compressive strength—Flexu strength—Tensile strength. | ral | |
| Concrete pavement slabs: | | |
| cross sections 107-11: r. to p 103, 104, 107, 126, 206 (fn) structural design, application of the | 2, 126, 209 207 (fn) | |
| structural design, application of the sults of research to | re- _ 83–104, | |
| | 3. 207 (fn) | |
| thickened-edge design, thickened-e design 86, 97, 107-112, 118, 120 see also names of features of design. | 0-126, 209 | |
| dimensions (general)— | | |
| data for experimental reinforced corete pavements | 206, 209 | |
| crete pavements relation to temperature warping stres developed in slabs 96-102, 10 | ses 9–112, 207 | |
| length(s)— increase through use of longitudinal st | eel | |
| increase through use of longitudinal st reinforcement | 8, 207–209 | |
| relation to— stress development in— | | |
| stress development in— and cracking of slabs 100-102, 109-117, 123, 126, 205 | -209, 218, | |
| 219 steel reinforcement 20 | 6-209, 219 | |
| moisture content see Moisture content | (of | |
| concrete). movement— horizontal movement, length change as affected by subgrade resistana 118, 20 measurement, device used for of reinforced concrete payement sle | s— | |
| as affected by subgrade resistance | e _ 112- 5, 209, 210 | |
| measurement, device used for | 214, 218 ibs. | |
| Indiana studies 209, 21 | 0, 212, 214 | |
| temperature variations— between upper and lower surfaces, to perature differentials. | em- 96-102 | |
| 112, 118, 123, 12 | 26, 205, 207 | |
| daily range— in average slab temperature | 117 | |
| relation to daily range in air temp | 117 | |
| thickness— relation to— | | |
| etraceae davalaned in slahe stre | sses | |
| 87-94, 96-103, 107-112, 1. | 114 115 | |
| required thickness to resist load stres computation | ses, | |
| computation volume changes warping and stresses caused by 87, 89, 90, 96-103, 107-112 width— 126, 20 | 96, 205 | |
| 87, 89, 90, 96–103, 107–112 126, 20 | , 118–123, 5, 207–210 | The state of the s |
| | | |
| crete pavement sections 20 | o (iii), 209 | |
| | | |

| Concrete pavement slabs—Continued. Page |
|--|
| Concrete pavement slabs—Continued. Page width—Continued. relation to warping stresses, development in slabs |
| |
| curing, see Curing of concrete. marking, striping, State practices |
| design of reinforcement |
| ments— |
| Arlington curing experiments |
| forcement, a 205-214, 218, 219 Indiana experimental pavement 207- |
| 214, 218, 219 |
| |
| Contests, safety, in highway safety promotion (Wisconsin) 148,151 |
| |
| of concrete— longitudinal and lateral contraction of concrete pavement slabs |
| subgrade resistance to205, 208-210 |
| subgrade resistance to |
| Contraction joints in concrete pavements: spacing 113, 114, 120, 205, 209 |
| transverse contraction joints, types and effi- |
| types used in experimental reinforced con- |
| crete pavement 209, 210 Contraction stresses in concrete pavement slabs 112 117, 205 |
| (Wisconsin) 146 |
| Core tests of concrete, see Compressive strength |
| Corner formulas for computation of stresses in concrete pavements 87-90 |
| |
| bearing areas of, shape of in Westergaard analysis |
| ments. Corner stresses in concrete pavements: |
| |
| analysis and computation of 87, enalysis and computation of 97, enalysis and computation of 27, enalysis enalysis of 197, enalysis enalysis of 197, enalysis of |
| corner warping stresses, computation of 99-101 |
| difference between 125 Corps of Engineers, United States Army, stabilometers used by 135, 136, 153 |
| bilometers used by 135, 136, 153 Corrosion: |
| of steel reinforcement of concrete pavements, prevention 208 |
| of steel tie bars in joints of concrete pave- ments, prevention |
| Cotton mats as curing agents for concrete pave- |
| cost of, a. 215-216, 219 Griectiveness 67, 74, 216, 219 Counters and detectors, traffic 195-196, 203, 228 County (and State and municipal) ownership of motor vehicles 167 |
| Country (and State and municipal) ownership of |
| County roads and local roads: |
| county roads and township roads, mileage data (United States) funds for, from various State tax receipts, 1938 127-130 |
| County cofoty councils activities of (Wisconsin) 145- |
| Cover materials used on experimental hittl- |
| minous surfaces 24-20 21-37 41 42 174 |
| blies in experimental reinforced |
| Covers, metal, use in wet burlap curing of mortal |
| Crack survey of experimental reinforced con- |
| crete pavement, proposed 214 Cracks: |
| in bituminous surfaces— on chemically treated nonplastic road |
| on enemeany treated nonpiasta 10a1 materials 117, 180-182 on sand-clay and marl bases 27-37, 39 on sand-clay-gravel bases 3-5 in concrete pavements—3-5 |
| as affecting impact reactions to Wheel |
| edge strengthening along cracks 112, 118 |
| formation 00 111-113 117-120 125 126 205-209 |
| maintenance, relation to effective width |
| of expansion joints. 113 spacing in experimental reinforced concrete pavement. 207, 218 |
| widths— |
| relation to elongations of steel rein- |
| forcement |

Critz, Paul F. Crushed stone percentage

quantities
bitum

reinfor

use for sur

see also C

Crusher-run n
as base cc
specificati
Cummings, A
Curbs, lip-cur
Curing blank
Curing of conc
as protect
cost of cc
cracking of
materials r
investi

used investing to the control of the

Cutback aspha as concrete types and

Deflections:
in concret
in tires (m

see also Str

Deformations:
in concrete
as afte
as caus
Poisso

Poisson
in plastic r
t
in soils und
data fe
a
deform
i
relation
col
fric

belft Laborato
Density(ies):
of aggregat
calcula
compan
values
of blended

| Critz, Paul F., joint author, a | Page 21-43 |
|---|-------------------|
| Crushed stone: percentages and gradings in blended aggregates of the type used in bitumi- | |
| nous concrete quantities and sizes used in construction of— | |
| bituminous-treated surfaces on sand- | |
| clay and marl bases, experi- mental. 22-37 reinforced concrete pavement, experi- mental. 2 | , 40-42 |
| use for surfacing of road built over swampy | 97, 202 |
| riin materials | |
| Crushed stone concrete, comparison with gravel concrete in respect to strength, modulus of elasticity, thermal coefficient of expansion. | |
| modulus of elasticity, thermal coefficient of expansion | 118 |
| Crusher-run materials: | |
| as base course materials and as surfacing materials in studies of water-retentive chemicals 173, 1 specification limits 184, 1 Cummings, A. E. | 81-187 85 187 |
| Curbs lin-curb design of concrete navements | 107 |
| Curing blankets (burlap and jute) as concrete curing agents. Curing cabinet, use for mortar specimens. 68, 69 | 67-75 |
| Curing of concrete: | |
| as protection of pavement concrete from | |
| cost of curing concrete payements with cotton mats, a 215-2 cracking of payements slabs during curing, data for payements constructed on | 16, 219 |
| data for pavements constructed on loess soil | 118 |
| materials and methods— investigations of | 67-75, |
| investigations of | 219 |
| reinforced concrete pavement. r. to p. 104, 20 specifications (standard), development of tests for use in. |)6 (fn) |
| tests for use in | 67-75 |
| design— Argentine method, adaptation of hand- | |
| book to | 217 |
| maximum curvature of experimental con- crete road in Indiana | 208 |
| tion notice of | 89–193 95 |
| Cushioning qualities of motor vehicle tires, rela- | |
| erete pavements85, 94-96, 100-1 | 84. 03, 126 |
| Cutback asphaltic materials: as concrete curing agents types and quantities used in construction of | |
| experimental bituminous-treated surfaces21-28, 30-34, 36, 37 | , 39, 42 |
| D | |
| Deflections: in concrete pavement slabs under wheel | |
| loads. 87, 118, 122, 2 in tires (motor vehicle), vertical deflections of solid and cushion tires under impact and equivalent static loads. | 07; 210 |
| of solid and cushion tires under impact and equivalent static | 95 |
| see also Strains. Deformations: | 30 |
| in concrete payement slabs- | |
| as affected by duration of application of load, static load test data as caused by stresses above fatigue lim- | 87 |
| Poisson's ratio as applied to concrete1 | 86 87-91, |
| in plastic materials under load, stabilometer tests of 133-144, 1 | |
| in soils under load- | · |
| deformation without volume change as | 57-162 |
| | 136 |
| cohesion of soils 137-139, 143, 14 | 14, 153 |
| friction (internal) in soils139, 143, 14 | |
| pressure distribution over circular contact areasstress-deformation diagrams and use of | 232 138. |
| | 9, 153 53, 154 |
| Delft Laboratories, r., r. to p135, 136, 138-140, 1- Density(ies): | 13, 153 |
| of aggregates compacted by vibratory ma- | 56 E7 |
| calculation, method of comparison with density(ies) obtained | 56, 57 57, 58 |
| by other methods of compaction values for various types of aggregates 56- of blended aggregates. | -58, 61 59-61 |

89

51

2-219 210

18 208 209

26 210

90 96

809

122

2, 174

68

113

, 218

119 119

| NDEX TO PUBLIC ROADS, VOLUME 2 |
|--|
| Density(ies)—Continued. Page of circular test track sections compacted under traffic— comparison with density(ies) of labora- tory compacted aggregates. 9, 10,58,185-187 |
| by vibration, data for sand-clay- gravel base course materials 9, 10, 17 data for nonplastic materials treated |
| with water-retentive chemicals 176, 185-187 |
| studies of water-retentive chemi- cals |
| of experimental bituminous-treated surfaces on sand-clay and marl bases— comparison of original and final gradings of aggregates with Fuller's curve for maximum practical density 40-42 r. 27, 80, 31, 36-43 relation to crushing of aggregates under |
| service conditions 40-43 of field samples of hot, plant-mix surfacing materials, comparison with density(ies) of laboratory compacted |
| aggregates 58 of soils—58 critical density(ies) of sands, determination 136,153 |
| maximum density(ies) of base course materials— as obtained by drying as well as by compaction |
| see also Density tests—Specific gravity(ies). Density tests, compaction tests, of materials: Proceeding compaction tests, 12, 17, 17, 185. |
| vibratory compaction tests. 2, 9, 10, 17, 55-61, 174, 185 Design, highway, see names of types of highway and names of features of design. Diabase as concrete aggregate, influence upon thermal coefficients of expansion |
| thermal coefficients of expansion and contraction of concrete |
| Distance data from studies of motor vahigle |
| passings on highways (sight distances, passing distances) 222-230, 237 Distance judgment tests of drivers of motor vehicles (Wisconsin) 146, 149 Distillates of cut-back asphalts used in experi- |
| mental road in South Carolina: analysis. 22 character, relation to amount of fines required. 42 |
| Distillation test data for bituminous materials used in construction of experimental surfaces in South Carolina. 22 |
| olitches: relief ditches at sides of fills over swamps, making by blasting |
| Divided highways, recommendation 66 Dowel caps, dowel sleeves 120, 121, 123 Dowel-plate expansion joints in concrete pavements 121, 124 |
| Oowelled joints in concrete pavements: efficiency |
| Dowels for use in joints of concrete pavements: bond with concrete, breaking of 120, 121, 210 design. 120-123, 212 embedment in concrete slab, effective 121-123, 213 installation method. 121-123, 213 |
| load transfer, relation to width of joint and diameter of dowel |
| pavement failure at. 1023 spacing. 122-124, 210, 212 praimage: 122-124, 210, 212 praimage: 11, 17, 22, 27-32, 35-38, 42, 107, 118, 176, 181-184, 202 of fill solid spaces and costs in fill construction. 162, 198, 202 prilling operations and costs in fill construction. |
| of fill soils 178, 181–184, 202 Orilling operations and costs in fill construction by blasting 198–202 |
| Privers of motor vehicles: |
| driving habits 147, 150, 189, 221–230, 237, 238 driving testing equipment, use in Wis- consin 145–147, 149, 152 education in highway safety 145, 149, 150, 152 cryving methods and equipment 2, 4, 10, 17, 26, 29, 31, 34, 36, 39, 56, 177, 179, 180, 186, 216 cuctility, test data: |
| outility, test data: for bituminous materials used in experimental surfaces. 22 for extracted bitumen from experimental bituminous mats on sand-clay bases 34 |
| oummy joints, weakened-plane joints, use in |
| oust: 122, 124, 125, 209–213, 218, 219 formation on roads 26, 173, 180, 182–184, 186 loss in vibrator-compacted aggregates 57 rock dust, compaction by vibratory ma- |
| chine 56 use as bituminous aggregate 22-42, 55 57 60 61 173-186 |

rock dust, compaction by violated 56 chine. 56 use as bituminous aggregate 55, 57, 60, 61, 173–186

D

D

Dust ratios of several materials. 1, 57, 60, 61, 174, 184-186 E Edges, thickened:
of bituminous mat on experimental bituminous-treated surface on sandclay base. 32
of concrete pavements. 97, 107–112, 118, 120–126, 209 ucation: funds for, from various State tax receipts, 1938_ 127-130 Embankments: 2005, 2205
accelerated settlement by blasting, a... 197–202
pressures on and stresses in solls of, triaxial
shear tests. 133–144, 153, 154
Emmons, W. J., r. to p. 55 (fn), 58 (fn) Shear tests. 133-144, 153, 154
Emmons, W. J., T. to p. 55 (fn), 58 (fn)
Emulsions:
asphalt emulsions, use. 21-43, 67-75, 216
rubber (latex) emulsions as concrete curring agents. 67-75
Erosion, prevention of. 17, 107
Excavation in fill construction. 161, 197-202
Excess-taking of land for highways. 65
Exhibits, use in highway safety education. 146, 151
Expansion caps, use in dowelled expansion joints in concrete pavements. 120, 121
Expansion joints in concrete pavements: 120, 121
Expansion joints in concrete pavements: 120, 121
Expansion joints in concrete pavements: 120, 121
Expansion joints in concrete pavements. 120, 121
Expansion joints in concrete pavements. 120, 121
Expansion joints in concrete pavements. 120, 121
Expansion of correct expansion joints, types and efficiency of. 100-126
types used in experimental reinforced concrete pavement. 209-213, 219
Expansion of concrete: 100-213, 219
Expansion of concrete slabs. 112-114, 125, 128, 209, 219
subgrade resistance to. 205, 208-210
thermal coefficient of expansion and contraction. 96-102, 112, 116, 118
Expenditures, highway: funds for, from various State tax receipts, 1938. 1938. 127-130
see also headings beginning Federal-aid, also Improvement, highway.
Experimental roads and test sections: bituminous surfaces. 1-12, 16, 17, 21-43, 57, 58, 173-187
concrete pavements. 16, 17, 21-43, 57, 58, 173-187
concrete pavements. 16, 107-118, 122-126, 206, 207
Arlington tests. 87-104, 107-118, 122-126, 206, 207 Express highways: 668 need through and around cities 65, 66

| Page | |
|--|---|
| Eye examinations in tests of drivers of motor vehicles | |
| F. | |
| Fabric, welded, as steel reinforcement of concrete pavements 125, 205-214, 218, 219 Fascines, use as reinforcement of earth fills 162 Fatigue limits of concrete: | |
| design stress in relation to 86, 108, 126 r. to p 103 under continuous fatigue loading and under loading with short rest periods 86 | |
| under impact loads 86 under pavement loading conditions 108 under static loads 86 Federal-aid grade crossing projects, status of 81, | |
| under static loads. 86 Federal-aid grade crossing projects, status of. 81, 171; rear covers of Nos. 1-3, 5-7, 9-12 Federal Aid Highway Act of 1938, r. 65 Federal-aid highway projects, status of. 18, 44, 64, 28, 105, 131, 155, 172, 188, 204, 220, 239 Federal-aid secondary or feeder road projects, status of 19, 106, 132, | |
| 156, 240; rear covers of Nos. 2-4, 8-11 | |
| Federal ownership of motor vehicles 167 Federal roads: | |
| status of 19, 100, 132, 156, 240; rear covers of Nos. 2-4, 8-11 inclusion in Master Plan for improvement of notional highway system 66 | |
| Fees, see Licenses, permits, etc. (motor-tuel, motor vehicle)—Registration fees (motor vehicle). | |
| Felt, tarred, as joint filler in concrete pave- ments. 120, 121 Fiber, impregnated, use in joints in experi- mental reinforced concrete pave- | |
| ment 210, 212 | |
| Fillers: 22-42. dust, use in bituminous mixtures 22-42. joint fillers for use in concrete payements 111, 114,120-122, 125, 210 | |
| construction— over mud flats, r. to p | TO SECURITY OF |
| Films, use in highway safety education 145- | |
| way—improvement, mighway— Revenues, highway. Fines and papalties receipts from in connection | CHARGO SE |
| Fines and penalties, receipts from in connection with various State taxes. 77,79,170 Finishing of concrete pavements, methods and equipment used in construction of experimental reinforced concrete | |
| Pavement 212, 213 First-aid methods, training of traffic officers in 150 Flexible pavements: design— | |
| | 200000000000000000000000000000000000000 |
| analyses of stresses finder loaded circumatary areas as guide in. 231–237 r. to p. 153, 231 (fn), 236 (fn), 237 (fn) use of triaxial shear tests in. 133–144, 153, 154 thickness, relation to supporting power of subgrades. 231, 236, 237 see also Bituminous surfaces. | |
| Flexural strength of concrete: as affected by curing materials and methods, data for mortar specimens 67-75 | |
| ultimate flexural strength, design stress in | |
| Forest roads, see Park and forest roads, etc. Foundations, soil: design— | |
| of fills supported by clay underlaid by rock | |
| Four-lane highways: four-lane divided highways, recommendation striping at change from two- or three-lane | |
| highways 192 Franchise taxes, see Licenses, permits, etc. Franklin Falls Dam, cohesionless materials from, r. to p 153 | |
| Freezing: and thawing— of bituminous surfaces and effects of 4-6, 8,17,28 | |
| of concrete payements and their subgrades | No. of Parties |
| during curing of pavements, prevention by use of cotton mats 216 of subgrades— | |
| frost-heave of surfaces on clay subgrades, prevention | |

| Friction: Page |
|--|
| between layers of dissimilar earth materials, assumption in computation of |
| stresses under loaded areas 231 |
| internal friction in soils |
| resistance. |
| resistance. Fuller's ideal curve for maximum practical density, comparison of aggregate gradings with 40-42 |
| gradings with 40-42 |
| G |
| Gages: |
| micrometer dial gages, use with vibratory machine 55, 56 |
| machine 55, 56 pressure gages, manometers, used in stabilometer tests 133, 134, 137–143 |
| |
| Gemeny, A. L. 126 General funds (State, local), allocations to from various State tax receipts, 1938. 127–130 German investigations of earth pressures against |
| various State tax receipts, 1938 _ 127-130 German investigations of earth pressures against |
| retaining walls 133, 153 |
| retaining walls 133, 153 Glare tests of drivers of motor vehicles 146, 149 Glass pressure chambers, use in stabilometers 139, |
| Glycerine, use in pressure chambers of stabil- |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ |
| Goode, J. F., joint author, a 55-61 |
| |
| |
| Federal-aid grade crossing projects, status of 81, 171; rear covers of Nos. 1-3, 5-7, 9-12 |
| pavement striping at 192 Grade tests of motor vehicles 228–230 |
| Graded Sous: |
| specifications— for aggregate-type surfacing materials 183-187 |
| for aggregate-type surfacing materials 183–187 for base course materials 11, 12, 16, 17, 185–187 see also Base courses. |
| Grades, highway: |
| data for— experimental reinforced concrete pave- |
| ment208 pavement used in grade tests of motor |
| vehicles 228, 229 |
| motor vehicle passings on 229, 230 reduction of, recommendations 66, 230 |
| reduction of, recommendations 66, 230 Grading of aggregates: as affected by compaction method 57-61 |
| data for— |
| blended aggregates 59–61 materials used in— |
| experimental reinforced concrete pavement 211 |
| mortar specimens in tests of concrete curing methods |
| studies of water-retentive chemicals 173 |
| variations in, effects on sand-clay-gravels |
| minous surfaces 1 19 16 17 |
| variously graded aggregates for use in hitu- |
| minous-treated surfaces, relative merits of, study of21-43 |
| merits of, study of 21-43 Grain pressures in model bins, measurement 133, 134, 153 |
| Grain size determinations in soil tests, hydrom- |
| eter test data 13–16 Granite aggregates: |
| influence upon thermal coefficients of expansion and contraction of concrete 97 |
| use in— experimental bituminous-treated sur- |
| faces on sand-clay and marl bases. 21-43 test sections of circular track in studies of |
| water-retentive chemicals 173–187 |
| Granular materials: nonplastic granular mixtures, treatment with |
| water-retentive chemicals 173–187 use on undersoils of fills 162 |
| see also names of granular materials, also |
| Base courses. |
| Gravel: as concrete aggregate, gravel concrete 118, 210, 211 as constituent of base course materials, sand- clay-gravel base courses 1-12. 16, 17, 57-60, 173 (m), 187 Gravel courses, gravel layers 162, 198, 202 |
| clay-gravel base courses 1-12, |
| 16, 17, 57-60, 173 (fn), 187 Gravel courses, gravel layers 162, 198, 202 Grooves, formation in concrete slabs 121, |
| Grooves, formation in concrete slabs 121. |
| Н |
| Harvard University, stabilometers used by 136. |
| Harvard University, stabilometers used by 136, 140, 142, 143 Hatt, W. K |
| Hatt, W. K. 86, 103 Hawthorne, George Edward 236 Heaving of soils 4-6, 8, 17, 83, 198 |
| Heaving of soils 4-6, 8, 17, 83, 198 Hencky, Heinrich 158-162, 232 |
| Hawthorne, George Edward. 4-6, 8, 17, 83, 188 Hencky, Heinrich Hennes, method of applying load to stabilometer samples. 142 |
| Hess, Otto S |
| nighway Research Board: |
| annual meeting of, notice of 170 |
| Highways of History, publication notice 154 |
| Highways of History, publication notice 154 Hills: 190-104 |
| Highways of History, publication notice 154 |

| Page Hinge action of joints in concrete pavements 112. |
|---|
| |
| Historic highways, r. to p 120, 121, 206 Hogentogler, C. A., joint author, a. 133–144, 153, 154 Hough, B. K. Jr. 162 Housel, W. S. 135, 138, 140, 153 Hulbings, Professor. 153 Humidity, a saffecting: action of water-retentive chemicals when |
| Housel, W. S |
| Humidity, as affecting: |
| used as admixtures with nonplas- |
| used as admixtures with nonplas- tic materials |
| Hydrometer tests of soils, simplified computation |
| Hydrometers. 13-16 Hydrostatic pressure in clay soils supporting fills. 161 |
| Hydrostatic pressure in clay soils supporting fills 161 Hygrometers, use, r 174 |
| I |
| Illinois, University of, bulletins on bridge floor |
| design, publication notice 230 Impact factors for use in structural design of con- |
| crete pavements 85, 86, 126 Impact reactions of concrete pavements 83-87, 95, 96, 98, 100-103, 108, 112, 118, 126, 205 |
| 95, 96, 98, 100-103, 108, 112, 118, 126, 205 Improvement, highway: |
| master plan for 65-66, 75 on basis of road use 45, 54, 62, 63, 217 Index to PUBLIC ROADS, publication notice 152 Insulating qualities of cotton mats used in curing concrete pavements. 67, 216, 219 Interrecional highways, national system of plan |
| Index to PUBLIC ROADS, publication notice 152 Insulating qualities of cotton mats used in curing |
| |
| Intersections, highway: |
| |
| Iowa Engineering Experiment Station, research, |
| Isotropic materials under loaded circular areas. |
| Isotropy, assumption in analysis of settlement |
| of soils by consolidation 231 |
| J |
| Jackson, F. H., joint author, a |
| Jamieson, J. A |
| Joints in concrete pavements: |
| as affecting impact reactions to wheel loads 85 |
| as restraint to warping of concrete 98, 99, 120-122, 126 |
| |
| efficiency of various joint types 120-126 types used in experimental reinforced |
| concrete pavement (Indiana) 209-214, 218, 219 |
| stresses in slabs 112-114, 119, 120, |
| spacing and its relation to development of stresses in slabs. 112-114, 119, 120, 125, 205, 207, 209, 210, 212, 218, 219 structural steel joints, use. 200-214, 218, 219 width. 113, 114, 120, 123-125, 209, 218, 219 Jürgenson, Léo. 134, 136, 142, 143, 133, 158, 162, 334 Jute and burlap curing blankets for concrete. 67-75 |
| Jürgenson, Leo |
| |
| Kellermann, W. F.: |
| Kellermann, W. F.: as joint author, a |
| Kelley, E. F., a., r 83–104, 107–126, 207 Kerosene, use in vibratory compaction tests 9, 56 |
| Keverling-Buisman, A. S., stabilometers used by 134, 138, 140, 142, 153 |
| Koenitzer, L. H |
| power of soils beneath fills 162 Krynine, D. P 232, 235, 236 |
| |
| |
| L . |
| L Labor requirements and costs: in blasting operations in fill construction over |
| L Labor requirements and costs: in blasting operations in fill construction over swamps |
| L Labor requirements and costs: in blasting operations in fill construction over swamps in curing concrete pavements with cotton mats 215, 216, 219 in rural mail delivery by motor vehicle 217 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps in curing concrete pavements with cottom in rural mails in rural mail delivery by motor vehicle 217 Lancaster, R. J. 126 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps in curing concrete pavements with cottom in rural mails in rural mail delivery by motor vehicle 217 Lancaster, R. J. 126 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. 200, 201 in curing concrete pavements with cotton mats. 215, 216, 219 in rural mail delivery by motor vehicle. 217 Lancaster, R. J. 126 Land, acquisition in highway improvement programs. 65, 66, 75 Landscaped express highways. 66 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. 200, 201 in curing concrete pavements with cotton mats. 215, 216, 219 in rural mail delivery by motor vehicle. 217 Lancaster, R. J. 126 Land, acquisition in highway improvement programs. 65, 66, 75 Landscaped express highways. 66 Lanes, traffic. 149, 152 extra lane for slow moving vehicles on grades. 200 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. in curing concrete pavements with cotton in rural mails. in rural mail delivery by motor vehicle |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. 200, 201 in curing concrete pavements with cotton mats. 215, 216, 219 in rural mail delivery by motor vehicle 217 Lancaster, R. J. 126 Land, acquisition in highway improvement programs. 65, 66, 75 Landscaped express highways. 66 Lanes, traffic: brake testing lanes. 149, 152 extra lane for slow moving vehicles on grades. 230 marking of 189–194, 202 Latex as concrete curing agent. 67-75 Leaching tests of chemically treated sections of |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. in curing concrete pavements with cottom mats. in rural mail delivery by motor vehicle 217 Lancaster, R. J |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. in curing concrete pavements with cotton mats. in rural mail delivery by motor vehicle. 217 Lancaster, R. J. 128 Land, acquisition in highway improvement programs. 65, 66, 75 Land, acquisition in highway improvement programs. 65, 66, 75 Landscaped express highways. 66 Lanes, traffic. 67 brake testing lanes. 149, 152 extra lane for slow moving vehicles on marking of. 189–194, 202 marking of. 189–194, 202 cettra lane for slow moving vehicles on 176–179, 186 circular tests of chemically treated sections of 67–75 Leaching tests of chemically treated sections of 67–75 Leakage (of fluids, air) from compression chambers of stabilimeters, prevention. 136, 143 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. in curing concrete pavements with cotton mats. in rural mail delivery by motor vehicle. 217 Lancaster, R. J. 128 Land, acquisition in highway improvement programs. 65, 66, 75 Land, acquisition in highway improvement programs. 65, 66, 75 Landscaped express highways. 66 Lanes, traffic. 67 brake testing lanes. 149, 152 extra lane for slow moving vehicles on marking of. 189–194, 202 marking of. 189–194, 202 cettra lane for slow moving vehicles on 176–179, 186 circular tests of chemically treated sections of 67–75 Leaching tests of chemically treated sections of 67–75 Leakage (of fluids, air) from compression chambers of stabilimeters, prevention. 136, 143 |
| L Labor requirements and costs: in blasting operations in fill construction over swamps. 200, 201 in curing concrete pavements with cotton mats. 215, 216, 219 in rural mail delivery by motor vehicle 217 Lancaster, R. J. 126 Land, acquisition in highway improvement programs 65, 66, 75 Landscaped express highways 66 Lanes, traffic: brake testing lanes. 149, 152 extra lane for slow moving vehicles on grades 230 marking of 189–194, 202 Latex as concrete curing agent 67-75 Leaching tests of chemically treated sections of circular test track 176–179, 186 Leakage (of fluids, air) from compression cham- bers of stabilometers, prevention. 136, |

Licenses, perm vel receipts fron see also Rura Lightburn, F. E Limerock as bass Limestone aggre blending cu

influence up sio use in test se of Limestone dust iga Lip-curb design Liquid bitumin as concrete c densities obi use in const. Liquid limits of Liquid limits of Liquid limits of Liquid limits of the side of the

Liquids:
liquid compouse in pressu
see also Liqu
Load stresses in

Load transfer by

Loaded areas:
circular load
earth press
plane strain
of
by
Loading diagrar
ur
Loads:

Loads: application va breaking los of concentrated r. of motor yeld m:ail-car r. trucks u on concrete impact l

static lo

on wheels of
Local roads and
funds for, fi
improvement
travel on, ro
Loess subgrades
Longitudinal er
in bitumino
ba
in concrete
de
Longitudinal joi

Longitudinal prico
Longitudinal prico
Longitudinal prico
prico
prico
Longitudinal prico
prico
Longitudinal prico
prico
prico
Longitudinal prico
prico
Longitudinal prico
prico
Longitudinal prico
prico
Longitudinal prico
Lon

Longitudinal was multiple Love, A. E. H. "Lueite" cylind bi

Mail-carrier m
co
Maintenance:
of bitumino
ar
co
of joints and
Manometers, pp
bi
Maps, spot, use

Marking and si an Marl base course

Marl wearing c Carolina e Marr, Robert A Marshes, blasti ov Massachusetts te Mechanical ana of crushed st

| Page Licenses, permits, etc. (motor-fuel, motor- | Mechanical analyses—Continued. Page of samples of bituminous mats on sand-clay |
|--|---|
| vahiela): | bases34 |
| receipts from, 1938 77, 79, 80, 168, 170 see also Rural mail-carrier motor vehicles. Lightburn, F. E. 89, 93, 104 | of soils 1, 13-16, 21 see also Grading of aggregates. |
| Limerock as base course material 26, 38, 39 | Metal cylinders as pressure chambers in stabil- ometers 134, 140, 142 |
| Limestone aggregates: blending curve for crushed limestone and | Micaceous soils, densities obtained by various methods of compaction57, 58 |
| influence upon thermal coefficients of expan- | Micrometer dials, use with testing apparatus 55, 56, 140, 142 |
| sion and contraction of concrete 97 use in test sections of circular track instudies | Micrometer measurements: |
| of water-retentive chemicals 173, 187 Limestone dust as component of blended aggre- | of length changes in concrete pavement slabs |
| gates60, 61 Lip-curb design of concrete pavements107 | of width changes in joints of experimental reinforced concrete pavement 218 |
| Liquid bituminous materials: | Mileage taxes, State motor-carrier tax receipts from (1938)80 |
| as concrete curing agents 67-75 densities obtained by paying mixtures containing 58 | Mileages: of highways in United States— |
| use in construction of experimental bitumi- | highway systems (three classifications) 46 |
| nous-treated surfaces 21–43 Liquid limits of soils 1, | marked, striped, rural highways |
| 16, 21, 39, 173, 174, 183, 198 Liquids: | see also headings beginning Federal-aid. vehicle mileages, see Vehicle-mileage data. Mitchell formulas, r |
| liquid compounds as concrete curing agents 67-75 use in pressure chambers of stabilometers 134- | Mixed-in-place method of construction of experimental bituminous-treated sur- |
| see also Liquid bituminous materials. | 1aces 21-13 |
| Load stresses in concrete pavements 83-96, 98-104, 107-112, 122-126, 205, 207, 210 | Mixing methods used: for mortar specimens in tests of concrete |
| Load transfer by joints in concrete pavements 111, 122-126, 205 | curing materials 69 in construction of experimental road sur- |
| Loaded areas: eircular loaded areas, stresses under, a231-237 | faces |
| earth pressures under, triaxial shear | Moisture content: of circular track test sections before and |
| plane strain conditions in, analysis in design of fill supported by clay underlaid | after traffic tests2, 11, 17, 174–176, 178–180, 185, 186 |
| by rock | of concrete— |
| Loads: 201 | as affected by curing methods and materials 67-75, 216, 219 variations in, effects on concrete slabs 83, |
| application methods and applied loads in | 89, 93, 100, 112–114, 205, 207 of soils— |
| 69-71, 86, 133-144, 153 | optimum moisture content 1-3, 17, 174, 185 |
| breaking loads of mortar specimens in tests of concrete curing materials69-71, 73 | relation to— compactibility and stability 1-11, |
| concentrated loads on bridge floor slabs, r. to p | compactibility and stability 1-11, 16, 17, 26-34, 37-39, 42, 43, 55, 58, 173-186, 198, 202 |
| mail-carrier motor vehicles (rural), | 173-180, 193, 202 Shear resistance |
| r. to p 21/ | Moisture warping of concrete pavement slabs 100, 101, 109, 112 |
| trucks used in grade tests 230 on concrete pavements— | Moments in bridge slabs, r. to p 230 |
| static loads 83–87. | Mortar specimens, data from tests of concrete curing materials |
| 94-96, 98, 100-103, 108, 126 on wheels of circular test track4, 5, 7, 173 | Motion pictures, use in highway safety educa- tion145-148, 150-152 |
| Local roads and streats: | Motor-carrier tax receipts (State) and disposition of, 1938 |
| funds for, from various State tax receipts, 1988 127-130 improvement of, recommendations 66,75 travel on, road-use study data 45-54, 62, 63 | Motor-fuel consumption in United States: |
| travel on, road-use study data 45–54, 62, 63 Loess subgrades 118 | 1938 76 Motor-fuel costs in winter and in summer, data |
| Longitudinal cracks: in bituminous-treated surfaces on sand-clay | for mail-carrier motor vehicles (rural) |
| bases36 | Motor-fuel taxes, State: |
| in concrete pavements, prevention by joint design120, 126 Longitudinal joints in concrete pavements 98, | rates, 1938 |
| 99, 119–126, 208, 209 | Motor-vehicle receipts (State): and disposition of, 1938 |
| Longitudinal profiles of circular track sections in study of sand-clay-gravel base | trends in motor-vehicle registrations and receipts, a 163-170 |
| course materials 10 Longitudinal profilometers 7–10, 175 | Motor vehicles: |
| Longitudinal steel reinforcement of concrete pavements 119, 120, 205-214, 218, 219 | commercial venicles, spacing on highways, Illinois requirements 230 grade tests 228-230 |
| | mail-carrier motor vehicles (rural), operating costs |
| ments 97-99 Love, A. E. H 231-237 "Lucite" cylinders as pressure chambers of sta- | ownership— publicly owned motor vehicles |
| "Lucite" cylinders as pressure chambers of sta- bilometers | trends in, State and national 163-170 |
| | trends in, State and national 163–170 passings on highways 221–230, 237, 238 persons per registered vehicle 164–167 |
| M | road-use study data |
| Mail-carrier motor vehicles, rural, operating costs of 217 | see also Registration fees (motor vehicle)— |
| Maintenance: of bituminous-treated surfaces on sand-clay | Registrations. Moyer, R. A., joint author, r. to p 217 |
| and marl bases, maintenance costs21-43 | Muck beds, blasting in fill construction 197-202 |
| of joints and cracks in concrete payements 113 | Multiple-lane highways: |
| Manometers, pressure gages, types used in sta- bilometer assemblies 133, 134, 137–143 Maps, spot, use in highway safety education 146, | marking and signing no-passing zones on 189-194, |
| Marking and signing no-passing zones on two- | recommendation 66 Municipal (and State and county) ownership of |
| and three-lane highways 189-194, 202 Marl base courses, South Carolina experiments. 21-24, | motor vehicles |
| 26–32, 38, 39, 42, 43 | N |
| Carolina experiments 38 Marr, Robert A., Jr., a 215–216, 219 | National Resources Committee, report 65 |
| Marshes, blasting in construction of highways | Nonplastic road-building materials, admixture treatment with water-retentive |
| over 197-202 Massachusetts Institute of Technology, shear test apparatus 143, 154 | chemicals 173-187 No-passing zones on highways, marking and |
| Mechanical analyses: | Normann, O. K., a 195-196, 203, 221-227, 237, 238 |
| of crushed stone aggregates 22, 187 | 1 Normann, U. K., a 100 100, 200, 221 221, 201, 200 |

36, 43

218

| Ohio Doot Dood | Page |
|--|-------------------------|
| Ohio Post Road Operating costs of mail-carrier motor vehicles (rural) | 118 217 |
| Oven drying of test specimens | |
| P | |
| Paddock, Robert H., author and joint author, a. 62, 63, 16 | 15-54, |
| Painting or greasing to prevent bond: between concrete and dowels | 120 |
| between concrete and steel reinforcement | 209 |
| Pamer, L. A., author and joint author: a | 2 (fn) 2, 213 |
| Paper coverings as concrete curing agents Park and forest roads, etc., funds for, from vari- | 67-75 |
| r, r, to p. 138, 138, 133, 101 (III), 10. Pan-type vibrators. 21 Paper coverings as concrete curing agents. Park and forest roads, etc., funds for, from various State tax receipts, 1938. 12 Passings on highways, vehicle: no-passing zones on two- and three-lane | 7-130 |
| no-passing zones on two- and three-lane roads, marking and signing of, a | 189- |
| studies of, a 221-230, 23 Patrols, school safety (Wisconsin) 145-14 | 7, 238 8, 152 |
| studies of, a 221–230, 23 Patrols, school safety (Wisconsin) 145–14 Pauls, J. T., joint author, a Peat bogs, blasting in fill construction over 19 | 55-61 7-202 |
| Pedestrians on highways (Wisconsin): accident data motion picture | 152 152 |
| motion picture safety, promotion of 145-147, 15 Penetration data: for bituminous materials used in experimental | |
| surfaces in South Carolina. 22, 31, | 21, 32, 39 |
| for extracted bitumen from experimental mats on sand-clay bases Penetration methods of bituminous road con- | 34 |
| struction: modified method used with emulsion on | |
| experimental road 29, see also Bituminous surface treatment. Permeability of soils: | 30, 42 |
| coefficient of, computation by use of slide | 15 |
| determination, stabilometer assembly used forPermeameter, falling-head | 136 15 |
| for. Permeameter, falling-head. Permits, see Licenses, permits, etc. (motor-fuel, motor-vehicle). Photoelastic devices, use in three-dimensional. | |
| | |
| Photography, use in highway safety investiga- tions Pittsburg, Calif., Test Road Plane strain conditions, analyses of, use in design | 150 107 |
| of fill 15 Planes of weakness, dummy joints, use in concrete pavements | 7-162 121. |
| 122, 124, 125, 209–213, 21 Planning of highways: | |
| master plan for national highway develop- ment. 65- on basis of road-use studies 45, 54, Plantings, roadside, on cut slopes. Plastic equilibrium, theory of, application in | 66, 75 62, 63 |
| Plantings, roadside, on cut slopes. Plastic equilibrium, theory of, application in design of fill supported by clay underlaid by rock | 17 |
| | 7-162 |
| of concrete. 10 of soils 157-16 Plastic limit of soils 1800 Plastic limit of soils 1000 Plastic limit of soils 100 | 0, 113 2, 232 144 |
| of procesure chambers in coil-testing | |
| apparatus 135, 137, 139-14 Plasticity indexes of soils 1-12, 16, 17, 139-14 Plasticity of soils 39, 58, 173, 174, 183, 184, 186, 18 | 21, 38, 7, 198 |
| relation to compactibility and stability | 1-12 |
| 16, 17, 21, 30, 38, stresses at which soils under load become plastic | 144 |
| Plasticity tests of crusher-run materials as indicative of service behavior. Plunger type stabilometers | 187 2, 143 |
| | |
| State highway police, funds for, from various State taxreceipts, 1938 | 27-130 8-150 |
| 52 54 62 63 16 | 3-170 |
| Pore pressures in soil samples, triaxial shear test data 136, 138, 14 Porous stones, use in shear tests of soils 135-140, 14 | 4, 153 |
| Stresses beneath foundations 25 | 33, 234 |
| Prandtl, L 159, 16 Premixed bituminous materials, use in mainter nance of experimental bituminous- treated surface 29, 31, Pressure chambers in stabilometer assemblies 18 | |
| Pressure distribution: | 34–143 |
| over loaded circular areas 251, 25 | 32, 237 31–237 |
| Pressure gages in stabilometer assemblies 134, 13 | 133, 37–143 |

| Pressure(s): | G1-1 |
|--|--|
| earth pressures against retaining walls, tri- axial shear test data 133-144, 153, 154 | 21, 22, 25, 26, 30–39, 42, 43, 5 |
| inflation pressures of tires, relation to impact | Sand-clay-gravel 1-12, 16, 17, 57-60, |
| reactions in concrete pavements 84 spring pressures on axles of motor vehicles as | Sand-clay 1, 3, 6 21, 22, 25, 26, 30-39, 42, 43, 5' Sand-clay-gravel 1-12, 16, 17, 57-60, Sand layers, use on undersoils of fills Sand strata underlaid by clay, foundation stresses beneath |
| components of forces delivered to | G-111 C - 11 - 11 - 11 - 11 |
| road surfaces by wheels | Saturation of road materials, testing after |
| Stresses. | Saturation of road materials, testing afte jection to 27-31, 36, 58, School children, education in highway safe |
| Primary roads: | School children, education in highway safe |
| mileage data45, 46 travel on45-54, 62, 63 | Schools, training, for traffic officers Seal caps, use for joints in reinforced-co |
| Prime coats, materials and methods used in con- | pavement |
| struction of bituminous surfaces 2, 17, 21–37, 174 | pavement |
| Proctor tests of soils 1, 2, 17, 174, 185 | Sealing: |
| Profiles: | of surfaces of mortar specimens during |
| and measurements of surface displacements of experimental bituminous sur- faces | processes of weakened-plane joints in reinforce |
| faces 3, 5-7, 9, 10, 175, 178, 180-182 | crete pavement, tight seal |
| of highway built over swamp 199 | Secondary roads: |
| Profilometers 3, 5-10, 175, 180, 182 Publicity, use in highway safety programs _ 146-148, 150 | and feeder roads— Federal-aid projects, status of 19. |
| R | Federal-aid projects, status of 19, 240; rear covers of N |
| R . | improvement, recommendations_and local rural roads— |
| Radio programs, use in highway safety educa- | mileage data |
| Rail steel, use as reinforcement of concrete pave- | Sedimentation periods in hydrometer te |
| ments 119, 208, 209, 214 | soils, equivalent grain size |
| Railroad crossings, see Grade crossings. Rayelling of experimental bituminous surfaces 3-12. | various periods Seibert, E. C joint author, r., r. to p Semicircular bearing areas of edge loads on |
| 16, 17, 27–39, 42, 43, 173–187 | Semicircular bearing areas of edge loads on |
| Recording instruments (traffic), traffic counters 195- | ments |
| Registration fees (motor vehicle), receipts from, | Service behavior: |
| 1938 | of experimental roads— bituminous surfaces on sand-clay- |
| average receipts per vehicle 168-170 statistics, by States 79, 169 Registrations, motor vehicle: | base courses |
| Registrations, motor vehicle: | bituminous-treated surfaces on san and marl bases |
| by population groups 45-48 | nonplastic materials treated with |
| by population groups 45-48 statistics, by States, 1938 78, 169 trends in, a 163-170 | retentive chemicals reinforced concrete roads 206-208 |
| Reinforcement: | of soil-type bases, relation to densities |
| of concrete pavements 112, 118-120, 205-214, 218, 219 | Settlement of soils: |
| Retaining walls, design 133–144, 153, 154 | accelerated settlement of embankmen |
| of undersoils of earth fills 153–144, 153, 162 Retaining walls, design 133–144, 153, 164 Retreatments of experimental bituminous- treated surfaces 21–42 Recovery in the way and disposition of 450–451 | see also Compaction, consolidation. |
| Revenues, highway, and disposition of 45, | Shear bars, use across weakened-plane joi |
| treated surfaces 21–12 Revenues, highway, and disposition of 45, 62, 66, 77, 79, 80, 127–130, 163–170 see also headings beginning Federal-aid. Richart, F. E., joint author, r., r. to p 88, 104 Richart, F. E., joint author, r., r. to p 65, 66, 66, 66 | concrete pavement |
| Richart, F. E., joint author, r., r. to p. 88, 104 | direct shear tests |
| Right-of-way acquisition to transitions, r. to p. 142, 143 Ring type of stabilometer 142, 143 Road-mix method, use in construction of ex- | triaxial shear tests, a |
| Right-of-way lines in relation to transitions, r. to p | Shearing stresses: in clay strata underlaid by rock and su |
| Ring type of stabilometer142, 143 | ing earth fills |
| Road-mix method, use in construction of experimental bituminous-treated | in materials tested in stabilometers 138 in plastic materials pressed between |
| surfaces 21-43 | rough parallel plates |
| Road-use studies, preliminary results of, a 45-54, | in steel reinforcement at weakened joints in concrete pavement |
| Roadside improvement by rounding cut slopes 17 | under loaded circular areas |
| Rodgers, Roe P., joint author, a 45-54, 62, 63 | Sheet asphalt pavements, blended aggrega |
| Roadside improvement by rounding cut slopes 17 Rodgers, Roe P., joint author, a 45-54, 62, 63 Roosevelt, President Franklin D., message of April 27, 1939 65 | sheppard, W. F., r. to p |
| Roughness infractor 85, 103 | Shrinkage of soils, shrinkage limits, shri |
| Roughness indicator - 85, 103 Roughness of roads, surface displacements - 1-12, 16, 17, 29, 32-38, 83-86, 118, 125, 175-183, 205 | |
| 175–183, 205 | Signs and signals, highway 150, 152 |
| Rounded cut slopes 17 | Signs and signals, highway 150, 152 |
| Rounded cut slopes | Silica, siliceous aggregates |
| agent 67-75 | Sisal fibers, use to reinforce waterproof pa concrete curing agent |
| Rubber types of stabilometers 134-143 Rupture, moduli of, of concrete 108, 118 Rural areas, residents of, road use by 45-54, 62, 63 Rural mail-carrier motor vehicles, cost of operat- | Six-wheel trucks and trailers, critical stres |
| Rural areas, residents of, road use by 45-54, 62, 63 | concrete pavements produce |
| Rural mail-carrier motor venicies, cost of operating | Slag, use in circular test track sections in s of water-retentive chemicals |
| Rural roads: | |
| expenditures for, allocations of funds for State highways and for local roads and streets 62, 63, 66, 61, 27–130 marking and signing no-passing zones on 189–194. | Slide rule and special indicator for use in so Slump of concrete used in experimental |
| roads and streets 62, 63, 65, 66, 127-130 | ment |
| marking and signing no-passing zones on 189–194, 202 | Snow and ice removal from rural high |
| slow-moving vehicles on, relation to traffic | justification of Sodium chloride as admixture in non |
| slow-moving vehicles on, relation to traffic capacities of highways. 228–230 travel on 45–54, 62, 63, 65, 66 | road materials_ 173, 174, 177 Sodium silicate as concrete curing agent_ |
| see also headings beginning Federal-aid. | Sodium silicate as concrete curing agent Soil analyses of limerocks or marls |
| see also headings beginning Federal-aid. Rutting of experimental bituminous surfaces. 3-10, | Soil base course materials |
| 17, 33, 36, 175, 177–180, 182, 183 | 16, 17, 21–43, 5 |
| S | Soil constants: data for various soils1, 2 |
| Safety: | r. to p |
| factors of safety in design— of concrete payements 83, 86, 87, 101, 125, 126 | Soil grains: grain size determination, calculating |
| | for |
| highway safety promotion activities of the State Highway Commission of Wisconsin, a | grain size distribution, hydrometer te |
| Sand: Wisconsin, a | simplified computation of Soil groups, classification data for various |
| as component of— | 30, 3 |
| base course materials, see Sand-clay— | Soil mechanics: application to design of fill supported b |
| Sand-clay-gravel. blended aggregates59-61 | underlaid by rock |
| blended aggregates 59-61 as subgrade material 21, 22, 32, 116 | underlaid by rock r. to p 153, 154, 157 (fn), 161 Soil mortar (material passing No. 10 sie |
| compaction by vibratory compactor 56 densities— | circular track test sections. |
| and rates of consolidation 57 | 11, 12, 1 |
| critical densities, determination 136, 153 stock piling, Indiana specifications 211 | Soil roads, bituminous surfaced16, 17, 2 |
| use in retreatments of experimental bitu- | Soil samples, preparation in stabilometer |
| minous-treated surfaces 24, 25, 28, 31, 32 | 136 |

| Page | Soil tests: Page |
|---|---|
| 6, 9, 11, 12, 16, 57, 58, 173 (fn) 0, 173 (fn), 187 | hydrometer tests 13-16 |
| 0, 173 (in), 187 162 | Compaction tests |
| ons on, | Soils: |
| er sub- 153 | movement in loaded areas, plane strain conditions in fill supported by clay underlaid by rock. 157-162 pulverized soils as components of blended aggregates |
| 8, 182 (fn), 183 fety_ 145-152 | pulverized soils as components of blended |
| 145-152 148-150 | see also names of soils, also headings begin- |
| oncrete 210, 212 | priverzed soils as components of blended aggregates 59 see also names of soils, also headings beginning soil. South Carolina roads, experimental bituminaue. |
| treated 4, 26–37, 39–42 | treated surfaces on sand-clay and |
| 1, 20 01, 00 12 | marl bases 21-43 Spangler, M. G 89, 93, 101 |
| curing 67-75 | Spangler, M. G |
| ed con- | of bituminous materials used in experimental |
| | surfaces 22 of soils 13-16 Speeds of motor vehicles on highways 83-83 191-193, 217, 221-230 Speeds of motor vehicles on highways 191-193, 217, 221-230 Speeds of motor vehicles on highways 191-193, 217, 221-230 |
| , 106, 132, 156, Nos. 2-4, 8-11 | Speeds of motor venicles on nighways83-85, 191-193, 217, 221-230 |
| Nos. 2-4, 8-11 66 | Sprayed materials as concrete curing agents 67-75 Sprinkling operations: |
| 46 | in construction of— |
| 46-48, 62 ests of | bituminous-treated surfaces on marl bases. circular track test sections. 2, 5, 16, 175-184, 186 in curing of— |
| zes for | in curing of— |
| 135, 138, 153 | concrete pavements 215, 216 mortar specimens 68-75 |
| 13, 15 135, 138, 153 1 pave- 95, 96 | Stability: |
| | of bituminous surfaces as affected by type and condition of base courses 1-12, 16, 17, 27-39, 42, 43, 185-187 |
| -gravel | of road materials— |
| 1-12, 16, 17 id-clay | mixtures of granular aggregate and clay binder as affected by water proof |
| 21, 26-43 water- | surfacing |
| water- 175–187 8, 214, 218, 219 | |
| S 58 | Stabilization: of embankments by blasting 197-202 of soils, experiments in South Carolina 22, 26, 27, 24, 23 |
| nts by | |
| 197-202 | 144, 153, 154 Stanton, T. E 107 |
| ints in 210, 212 | State highway obligations, funds for service of, from various State tax receipts, |
| 143 144 153 | 1938 12/-130 |
| 143, 144, 153 3–144, 153, 154 | State highways: funds for, from various State tax receipts, |
| ipport- | funds for, from various State tax receipts, 1938 |
| 157–162 8, 139, 143, 144 | travel on 137-37, 02, 03 Steel reinforcement of concrete pavements: continuous reinforcement, experiments, a 205- 214, 218, 219 design and placing 112, |
| n two | 214, 218, 219 |
| plane | design and placing |
| ts 210 231-237 | elongations of steel 119, 122, 210 weight data 120, 208, 209, 214, 219 |
| ates for 61 234(fn) | Stereogoniometer (Krynine) 235, 236 Steuber, William F., a 145-152 |
| inkage | Stiffness, relative, radii of, values in design of concrete pavements |
| inkage 21, 26, 39, 198 | Stokes' law, use in computation of soil grain size_ 13-16 |
| 2, 20, 83, 136 | Strains: in concrete cantilever beams under static and |
| , 26, 39, 97, 173 | impact forces of same magnitude 86 in concrete pavement slabs 87, 88, 100, 207 in materials tested in stabilometers 138, |
| | in concrete payement slabs |
| esses in | plane strain relations in clay strata underlaid |
| ed by 83 studies | by rock and supporting fills 157-162 Straw coverings (wet) as concrete curing agents_ 67, 213 |
| 173- 175, 181-187 | Streets, city: funds for, from various State tax receipts, 1938 127-130 |
| JII (6212 19-10 | |
| pave- 210, 211 | mileare data (United States). 46 travel on, motor vehicle. 46-48, 54, 62 Strength tests, see Compressive strength—Flex- ural strength—Tensile strength. Stress coefficients for corner, interior, and edgo |
| hways, | Strength tests, see Compressive strength—Flex- |
| plastic 7–180, 183–187 | Stress coefficients for corner, interior, and edge loading of concrete pavements 90-92 |
| 67-75 | Stress cycles in tests of fatigue limits of concrete Stress-strain relations of materials in triaxial |
| 1–12, 58–61, 173–187 | shear tests 138, 139, 142-144, 100 |
| | Stresses: |
| 21, 39, 174, 198 15(fn), 154 | ing earth fills |
| board | in concrete pavements, analyses of83-104, 107-126, 205-210 in plastic materials between two rough |
| est for, | norallal platas 108-101 |
| 13-16 | in soils under pressure, shear stresses 133-144, in steel reinforcement of concrete payements 83, |
| soils 21, 36, 38, 197, 198 | in steel reinforcement of concrete pavements. 83, 119-122, 206-210, 210 in tie bars used in longitudinal joints of con- |
| by clay | in tie bars used in longitudinal joints of con- crete pavements120-122 |
| oby clay 157-162 (fn), 162 (fn) eve) in | under loaded circular areas— 231-237 |
| eve) in | three-dimensional stress systems, anal- |
| 16, 17, 174, 176 1–12, | Strip loads on alay underloid by rock stresses |
| 1–12, 21–43, 173–187 tests 135, | produced by 157, 160 produced by 157, 160 Striping of pavements, State practices 189-194, 202 Sub-page of bittoning surfaces water in and |
| tests 135, 6, 139, 140, 153 | Sub-bases of bituminous surfaces, water in and effects of 1-7, 10, 16, 17, 38, 173-187 |
| | |
| | |

Subgrade modu cor pa

Subgrade resista sla as affected b

see also Subg Superhighways, Supporting power see also Base Surface treatmen

semirigid ma

see also nan Surveys:
marking and
traffic survey
use
see also Passii
use
Suspension, soils
Sutherland, Earl

Swamps, blastin str Swell tests of ma

Tar, types and obit
Tar paper treatn
Tarred feltas join
Taxes (user) and

Telemeter data pa Teller, L. W.___ Temperature dif

Temperature str

Temperature va air temperat as affecti actio ad cone tu str in cities correction fa soi in concrete p

Temperatures, to of bituminou of concrete confederation of concrete confederation of concrete structures of concrete structures and see also Tensile stresses: in concrete per in concrete per

in steel reinfo

| Subgrade modulus, variations in as affecting |
|--|
| computed stresses in concrete pavements87-94, 97-103, 109-111, 123 |
| Subgrade resistance to movement of concrete slabs: as affected by tar-paper treatment of sub- |
| grade 118 |
| relation to development of stresses in slabs 112-119, 205-210 |
| see also Subgrade modulus. 65-66, 75 Superhighways, transcontinental 133-144, Supporting power of soils 153, 154, 157-162, 231-237 |
| see also Base courses. Surface treatment, bituminous, see Bituminous |
| surface treatment. Surfacing materials: aggregate-type surfacing materials (coarse- |
| graded), chemical admixtures in. 173–187 |
| semirigid materials, triaxial shear tests of 133–144, 153, 154 |
| see also names of surfacing materials and names of types of surfaces. |
| Surveys: marking and signing of pavements |
| |
| use studies. Suspension, soils in, computation 13–16 Sutherland, Earl C. (E. C.), joint author, r., a. 126, 212, 210 |
| Swamps, blasting operations in highway con- |
| struction over |
| T |
| Tar, types and quantities used in experimental |
| bituminous surfaces 2, 21–37, 39, 174 Tar paper treatment of loess subgrades 118 Tarred felt as joint filler in concrete pavements _ 120, 121 |
| Taxes (user) and revenues from, motor vehicle. 4. 62, 66, 76, 77, 79, 80, 127–130, 168–170 Telemeter data for length changes in concrete |
| Telemeter data for length changes in concrete pavement slabs |
| Teller, L. W. 102-104, 126, 231 Temperature differentials, development in concrete slabs. 96-102, |
| 112 118 123 126 205 207 |
| Temperature stresses, temperature warping stresses, in concrete pavements. 67, 83, 86-90, 93, 96-104, 107-118, 123, 126, 205, 207, 208 |
| Temperature variations: air temperature variations— |
| as affecting— action of water-retentive chemical |
| admixtures 174, 175 concrete pavements, see Tempera- ture differentials—Temperature stresses. |
| in cities of United States, 1936–1938 117 |
| soils 13–16 in concrete pavement slabs during curing 67, 216, 219 |
| Temperatures, testing, used in tests: |
| of bituminous materials 21, 22, 34 of concrete curing materials 68, 69 of soils 13–16 |
| Tensile strength: of concrete pavement slabs, relation to |
| ance112, 205-207 |
| see also Tensile stresses. Tensile stresses: in concrete pavements 87-90, |
| in steel reinforcement of concrete pavements. 119- |
| 122, 206–210 |
| |
| |
| |
| |
| |
| |

age , 198 3-16 6, 21 , 154

-162 59

1-43

22 3-16 3-85, -230 7-75

, 216 8–75

-12, -187

173

-202 22, 2, 43 133-, 154 107

-130

-130 2, 63 205-, 219 112, , 219 , 210 , 219 , 236 -152

88 3-16

86 , 207 138, , 153

-162 , 213

-130 6, 75 46 4, 62

0-92 86 , 153

7-162 -104, 5-210 8-161 -144, 8, 154 83, 0, 219

)-122 1-237 1-237 7, 160 4, 202

3-187

| Tensile stresses—Continued. Page in steel tie bars used in joints in concrete |
|---|
| pavements120-122 Terzaghi method, use in computation of bearing |
| capacity of soils supporting sym- metrical fills 161, 162 Thermal coefficients of expansion and contrac- |
| tion of concrete 97–103, 112, 116, 118 |
| Thermal conductivity in concrete pavement slabs as influencing cracking |
| Thermal conductivity in concrete pavement slabs as influencing cracking 118 Thickened-edge design of concrete pavements. 86, 97, 107–112, 118, 120–126, 200 Thickened-edge joints in concrete pavements. 120, |
| Three-lane roads |
| 122, 124, 125, 209 |
| Time intervals: in grain size determinations in hydrometer tests of soils |
| |
| time-distance data 222-229, 237 Timoshenko, S., r. to p 225 (fn), 232 (fn), 233 (fn) Tires, motor vehicle: |
| contact areas of— equivalent circular areas232 |
| |
| radii for corner, edge, and interior load- ings. 95,96 shape of 94,95,232 pressure distribution on flexible pavements 231. |
| 232, 237 types, sizes, and condition, relation to im- |
| types, sizes, and condition, relation to impact reactions of concrete pavements |
| ments 83-87, 95, 96, 98, 100-103, 108, 112, 118, 126, 205 types used on circular test track 2, 173, 174 Toll roads and free roads: |
| Toll roads and free roads: a |
| Tongue-and-groove joints in concrete pavements 120- 126, 209 |
| Township roads, see under County roads and local roads. |
| Tractor-truck semitrailer combinations, grade tests and passings on highways 228-230 |
| Traffic: |
| aggregate densities produced by, comparison with densities produced by various methods of compaction 58 |
| amount justifying improvement of earth roads 217 |
| on experimental roads, traffic tests of experimental surfaces 1–12, |
| imental surfaces of eaper 1—12, imental surfaces of eaper 1—12, on proposed toll system of transcontinental highways, estimates passings of vehicles on highways 189—189. |
| passings of vehicles on highways 50, 50, 50 |
| passings of vehicles on highways. 221–230, 237, 238 104, 202, 221–230, 237, 238 road-use studies, preliminary results of 45–54, 62, 63 Traffic congestion and relief of 54, 62, 65, 66, 75, 229, 230 Traffic counters and detectors 195–196, 203, 228 Traffic officers, training schools for (Wisconsin) .148–150 Traffic and sentiralings motor vehicle. |
| Traffic counters and detectors 195–196, 203, 228 Traffic laws and enforcement of 146–148–150, 152 |
| Traffic officers, training schools for (Wisconsin) 148-150 Trailers and semitrailers, motor vehicle 22, |
| 78, 79, 83, 167, 228–230 Transcontinental toll roads, proposed 65–66, 75 |
| Transition curves, handbook on, publication notice 217 |
| Transparent cylinders in stabilometers 135, 137, 139–142, 153 |
| Transverse cracks: 85, 86, 111–113, in concrete pavements 85, 86, 111–113, 115–116, 205, 205, 206, 206, 206, 206, 206, 206, 206, 206 |
| in concrete pavements 85, 86, 111–113, 117, 118, 125, 126, 205–208, 214, 218 in experimental bituminous-treated surfaces |
| Transverse joints in concrete pavements 85, 86, 102, |
| on sand-elay bases |
| ments 118-120, 208-211 |
| Transverse warping stresses in concrete pave- |
| Travel, motor vehicle, on highways: rate of, on pavement, gravel, and earth, data for rural mail-carrier motor ve- |
| for rural mail-carrier motor ve- hicles217 |
| |

|) | 7 |
|---|---|
| | Travel, motor vehicle, on highways—Con. Page road-use studies, a |
| | U |
| | Uniform Vehicle Code, requirements for maximum wheel loads |
| | v |
| | Vehicle-mileage data for motor vehicle travel in United States 45-54, Velocity of small solid sphere falling through liquid, Stokes' law 13 Vertical displacements of circular track test sections under traffic. 3-10, 17, 175-183 Vibration method of compaction: of aggregates, effects upon densities and gradings 55-61 of materials used in circular test track. 2, 9, 10, 17, 174, 185 |
| | Vibrators: 9, 10, 17, 174, 185 Nibrators: 9, 10, 17, 174, 185 new vibratory machine for determining compactibility of aggregates. 55–61 use in construction of experimental concrete pavement. 210, 212, 213 Voids determinator, effectiveness, comparison with that of vibratory machine. 55, 58 |
| | w |
| | Warping of concrete pavement slabs, warping stresses in slabs |
| | Ý |
| - | Young's modulus |





