

	<u>Month</u>	<u>Carpenter Superintendent</u>	<u>Structure</u>	<u>No. Cubic Yards Concrete Placed</u>	<u>No. of Forms Built</u>	<u>Ave. No. Cubic Yards per Form</u>
(16)	November, 1940	Santee	Dam	518	6	86.3
(17)	December, 1940	Santee	Dam	903	8	112.9
(24)	December, 1940	Hart	Power House	388	8	48.5
(18)	January, 1941	Santee	Dam	458	4	114.5
(20)	January, 1941	Hart	Power House	424	4	106.0
(4)	February, 1941	Santee	Dam	1037	14	74.1
(19)	February, 1941	Ritter	Power House	449	6	74.8
(5)	March, 1941	Santee	Dam	1011	13	77.8
(17)	March, 1941	Ritter	Power House	471	9	52.3
(10)	April, 1941	Santee	Dam	706	8	88.3
	April, 1941	Ritter	Power House	2965	12	24.7
(6)	May, 1941	Brown	Dam	969	9	107.7
	May, 1941	Ritter	Power House	248	9	27.6
(21)	June, 1941	Brown	Dam	1155	11	105.0
	June, 1941	Ritter	Power House	148	6	24.7
(1)	July, 1941	Brown	Dam	1259	13	96.8
(31)	July, 1941	Ritter	Power House	311	10	31.1
	August, 1941	Brown	Dam	23	1	23.0
	August, 1941	Ritter	Power House	45	4	11.3
	August, 1941	Brown	Bridge	66	2	33.0
	September, 1941	Brown	Bridge	25	2	12.5
(30)	October, 1941	Brown-Lawing	Radial Gate	344	6	57.3
	October, 1941	Ritter-Warner	Power House	193	9	21.4
	November, 1941	Santee	Dam	275	3	91.7
	November, 1941	Lawing	Radial Gate	238	6	39.7
	November, 1941	Warner	Penstock	285	6	47.5
	November, 1941	Ritter	Power House	277	8	34.6
(10)	December, 1941	Santee	Dam	724	8	90.5
(20)	December, 1941	Lawing Lawing	Inlets & Buttresses	326 279	7	42.9 39.5
	December, 1941	Parker	Side Channel Spill.	85	9	9.4
(14)	December, 1941	Warner	Forebay & Penstocks	531	12	44.3
	December, 1941	Ritter-Huber	Power House	74	9	8.2
(13)	January, 1942	Santee	Dam & Canal Wall	612	9	68.0 68.2
(22)	January, 1942	Lawing	Inlets & Buttresses	416	6	69.3
(23)	January, 1942	Parker	Side Channel Spillway	403	36	11.2
(25)	January, 1942	Warner	Forebay & Penstocks	366	8	45.8
	January, 1942	Ritter	Power House	57	1	57.0

	February, 1942	Santee	Dam	91		1	91.0
⑩	February, 1942	Loring	Intake & Buttresses	369		5	73.8
⑨	February, 1942	Santee-Warner	Temporary Piers	353		7	50.4
⑧	February, 1942	Parker	Side Channel Spill	387	$\frac{150}{169}$ 301	21	18.4
	February, 1942	Warner	Forebay & Ponds	149		9	16.6
	February, 1942	Santee	Power House	4		1	4.0
⑦	March March, 1942	Santee-Dusenberry	Dam	527		18	29.3
	March, 1942	Waddington	Crib Dam	237		6	39.5
	March, 1942	Loring Loring	Intake & Buttresses Intake & Buttresses	453 451		7	66.7 66.7
⑬	March, 1942	Parker	Side Channel Spill	544		32	17.0
⑪	March, 1942	Warner	Forebay	663		11	60.3
	March, 1942	Santee	Power House	158		10	15.8
⑫	April, 1942	Santee-	Dam	629		7	89.9
	April, 1942	Dusenberry	Dam	167		7	23.9
⑫	April, 1942	Waddington	Crib Dam	420		7	60.0
⑨	April, 1942	Hark	Intake, Buttress & Forebay	475 760		13	47.5 42.2
⑧	April, 1942	Parker	Side Channel Spill	778		57	
	April, 1942	Bitter	Power House	178		6	29.7